

Introduction

M. Pitkänen¹, February 1, 2006

¹ Department of Physical Sciences, High Energy Physics Division,
PL 64, FIN-00014, University of Helsinki, Finland.
matpitka@rock.helsinki.fi, <http://www.physics.helsinki.fi/~matpitka/>.
Recent address: Puutarhurinkatu 10,10960, Hanko, Finland.

Contents

1	Background	3
2	Basic Ideas of TGD	3
2.1	TGD as a Poincare invariant theory of gravitation	3
2.2	TGD as a generalization of the hadronic string model	4
2.3	Fusion of the two approaches via a generalization of the space-time concept	4
3	The five threads in the development of quantum TGD	4
3.1	Quantum TGD as configuration space spinor geometry	4
3.2	p-Adic TGD	5
3.3	TGD as a generalization of physics to a theory consciousness	6
3.3.1	Quantum jump as a moment of consciousness	6
3.3.2	The notion of self	6
3.3.3	Relationship to quantum measurement theory	7
3.3.4	Selves self-organize	8
3.3.5	Classical non-determinism of Kähler action	8
3.3.6	p-Adic physics as physics of cognition and intentionality	8
3.4	TGD as a generalized number theory	9
3.5	Dynamical quantized Planck constant and dark matter hierarchy	10
3.5.1	Dark matter as large \hbar phase	10
3.5.2	Dark matter as a source of long ranged weak and color fields	11
3.5.3	p-Adic and dark matter hierarchies and hierarchy of moments of consciousness	11
4	Bird's eye of view about the topics of the book	13
4.1	The implications deriving from the topology of space-time surface and from the properties of induced gauge fields	13
4.2	Vacuum degeneracy of Kähler action as a correlate for quantum criticality and 4-dimensional spin glass degeneracy	14
4.3	The simplest extremals of Kähler action as correlates for asymptotic self organization patterns	14
5	The contents of the book	14
5.1	PART I: Bio-systems as super-conductors	14
5.1.1	Bio-systems as superconductors: part I	14
5.1.2	Bio-systems as superconductors: part II	17
5.1.3	Bio-systems as Superconductors: Part III	19

5.2	PART II: Topological light rays and wormhole magnetic fields	21
5.2.1	Quantum antenna hypothesis	21
5.2.2	Wormhole magnetic fields	22
5.3	PART III: Dark matter and living matter	23
5.3.1	Dark Nuclear Physics and Condensed Matter	23
5.3.2	Quantum Coherent Dark Matter and Bio-Systems as Macroscopic Quantum Systems	24
5.3.3	About the new physics behind quantum biology	27

1 Background

T(opological) G(eometro)D(ynamics) is one of the many attempts to find a unified description of basic interactions. The development of the basic ideas of TGD to a relatively stable form took time of about half decade [16]. The great challenge is to construct a mathematical theory around these physically very attractive ideas and I have devoted the last twenty-three years for the realization of this dream and this has resulted in seven online books [1, 2, 4, 5, 3, 6, 7] about TGD and eight online books about TGD inspired theory of consciousness and of quantum biology [10, 8, 9, 13, 11, 12, 14, 15].

Quantum T(opological)D(ynamics) as a classical spinor geometry for infinite-dimensional configuration space, p-adic numbers and quantum TGD, and TGD inspired theory of consciousness have been for last decade of the second millenium the basic three strongly interacting threads in the tapestry of quantum TGD.

For few yeas ago the discussions with Tony Smith generated a fourth thread which deserves the name 'TGD as a generalized number theory'. The work with Riemann hypothesis made time ripe for realization that the notion of infinite primes could provide, not only a reformulation, but a deep generalization of quantum TGD. This led to a thorough and extremely fruitful revision of the basic views about what the final form and physical content of quantum TGD might be.

The fifth thread came with the realization that by quantum classical correspondence TGD predicts an infinite hierarchy of macroscopic quantum systems with increasing sizes, that it is not at all clear whether standard quantum mechanics can accommodate this hierarchy, and that a dynamical quantized Planck constant might be necessary and certainly possible in TGD framework. The identification of hierarchy of Planck constants whose values TGD "predicts" in terms of dark matter hierarchy would be natural. This also led to a solution of a long standing puzzle: what is the proper interpretation of the predicted fractal hierarchy of long ranged classical electro-weak and color gauge fields. Quantum classical correspondences allows only single answer: there is infinite hierarchy of p-adically scaled up variants of standard model physics and for each of them also dark hierarchy. Thus TGD Universe would be fractal in very abstract and deep sense.

TGD forces the generalization of physics to a quantum theory of consciousness, and represent TGD as a generalized number theory vision leads naturally to the emergence of p-adic physics as physics of cognitive representations. The seven online books [1, 2, 4, 5, 3, 6, 7] about TGD and eight online books about TGD inspired theory of consciousness and of quantum biology [10, 8, 9, 13, 11, 12, 14, 15] are warmly recommended to the interested reader.

2 Basic Ideas of TGD

The basic physical picture behind TGD was formed as a fusion of two rather disparate approaches: namely TGD is as a Poincare invariant theory of gravitation and TGD as a generalization of the old-fashioned string model.

2.1 TGD as a Poincare invariant theory of gravitation

The first approach was born as an attempt to construct a Poincare invariant theory of gravitation. Space-time, rather than being an abstract manifold endowed with a pseudo-Riemannian structure, is regarded as a surface in the 8-dimensional space $H = M_+^4 \times CP_2$, where M_+^4 denotes the interior of the future light cone of the Minkowski space (to be referred as light cone in the sequel) and $CP_2 = SU(3)/U(2)$ is the complex projective space of two complex dimensions [17, 18, 19, 20]. The identification of the space-time as a submanifold [21, 22] of $M^4 \times CP_2$ leads to an exact Poincare invariance and solves the conceptual difficulties related to the definition of the energy-momentum in General Relativity [Misner-Thorne-Wheeler, Logunov *et al*]. The actual choice $H = M_+^4 \times CP_2$

implies the breaking of the Poincare invariance in the cosmological scales but only at the quantum level. It soon however turned out that submanifold geometry, being considerably richer in structure than the abstract manifold geometry, leads to a geometrization of all basic interactions. First, the geometrization of the elementary particle quantum numbers is achieved. The geometry of CP_2 explains electro-weak and color quantum numbers. The different H-chiralities of H -spinors correspond to the conserved baryon and lepton numbers. Secondly, the geometrization of the field concept results. The projections of the CP_2 spinor connection, Killing vector fields of CP_2 and of H -metric to four-surface define classical electro-weak, color gauge fields and metric in X^4 .

2.2 TGD as a generalization of the hadronic string model

The second approach was based on the generalization of the mesonic string model describing mesons as strings with quarks attached to the ends of the string. In the 3-dimensional generalization 3-surfaces correspond to free particles and the boundaries of the 3- surface correspond to partons in the sense that the quantum numbers of the elementary particles reside on the boundaries. Various boundary topologies (number of handles) correspond to various fermion families so that one obtains an explanation for the known elementary particle quantum numbers. This approach leads also to a natural topological description of the particle reactions as topology changes: for instance, two-particle decay corresponds to a decay of a 3-surface to two disjoint 3-surfaces.

2.3 Fusion of the two approaches via a generalization of the space-time concept

The problem is that the two approaches seem to be mutually exclusive since the orbit of a particle like 3-surface defines 4-dimensional surface, which differs drastically from the topologically trivial macroscopic space-time of General Relativity. The unification of these approaches forces a considerable generalization of the conventional space-time concept. First, the topologically trivial 3-space of General Relativity is replaced with a "topological condensate" containing matter as particle like 3-surfaces "glued" to the topologically trivial background 3-space by connected sum operation. Secondly, the assumption about connectedness of the 3-space is given up. Besides the "topological condensate" there is "vapor phase" that is a "gas" of particle like 3-surfaces (counterpart of the "baby universes" of GRT) and the nonconservation of energy in GRT corresponds to the transfer of energy between the topological condensate and vapor phase.

3 The five threads in the development of quantum TGD

The development of TGD has involved four strongly interacting threads: physics as infinite-dimensional geometry; p-adic physics; TGD inspired theory of consciousness and TGD as a generalized number theory. In the following these five threads are briefly described.

3.1 Quantum TGD as configuration space spinor geometry

A turning point in the attempts to formulate a mathematical theory was reached after seven years from the birth of TGD. The great insight was "Do not quantize". The basic ingredients to the new approach have served as the basic philosophy for the attempt to construct Quantum TGD since then and are the following ones:

a) Quantum theory for extended particles is free(!), classical(!) field theory for a generalized Schrödinger amplitude in the configuration space CH consisting of all possible 3-surfaces in H . "All possible" means that surfaces with arbitrary many disjoint components and with arbitrary

internal topology and also singular surfaces topologically intermediate between two different manifold topologies are included. Particle reactions are identified as topology changes [23, 24, 25]. For instance, the decay of a 3-surface to two 3-surfaces corresponds to the decay $A \rightarrow B + C$. Classically this corresponds to a path of configuration space leading from 1-particle sector to 2-particle sector. At quantum level this corresponds to the dispersion of the generalized Schrödinger amplitude localized to 1-particle sector to two-particle sector. All coupling constants should result as predictions of the theory since no nonlinearities are introduced.

b) Configuration space is endowed with the metric and spinor structure so that one can define various metric related differential operators, say Dirac operator, appearing in the field equations of the theory.

3.2 p-Adic TGD

The p-adic thread emerged for roughly ten years ago as a dim hunch that p-adic numbers might be important for TGD. Experimentation with p-adic numbers led to the notion of canonical identification mapping reals to p-adics and vice versa. The breakthrough came with the successful p-adic mass calculations using p-adic thermodynamics for Super-Virasoro representations with the super-Kac-Moody algebra associated with a Lie-group containing standard model gauge group. Although the details of the calculations have varied from year to year, it was clear that p-adic physics reduces not only the ratio of proton and Planck mass, the great mystery number of physics, but all elementary particle mass scales, to number theory if one assumes that primes near prime powers of two are in a physically favored position. Why this is the case, became one of the key puzzles and led to a number of arguments with a common gist: evolution is present already at the elementary particle level and the primes allowed by the p-adic length scale hypothesis are the fittest ones.

It became very soon clear that p-adic topology is not something emerging in Planck length scale as often believed, but that there is an infinite hierarchy of p-adic physics characterized by p-adic length scales varying to even cosmological length scales. The idea about the connection of p-adics with cognition motivated already the first attempts to understand the role of the p-adics and inspired 'Universe as Computer' vision but time was not ripe to develop this idea to anything concrete (p-adic numbers are however in a central role in TGD inspired theory of consciousness). It became however obvious that the p-adic length scale hierarchy somehow corresponds to a hierarchy of intelligences and that p-adic prime serves as a kind of intelligence quotient. Ironically, the almost obvious idea about p-adic regions as cognitive regions of space-time providing cognitive representations for real regions had to wait for almost a decade for the access into my consciousness.

There were many interpretational and technical questions crying for a definite answer. What is the relationship of p-adic non-determinism to the classical non-determinism of the basic field equations of TGD? Are the p-adic space-time region genuinely p-adic or does p-adic topology only serve as an effective topology? If p-adic physics is direct image of real physics, how the mapping relating them is constructed so that it respects various symmetries? Is the basic physics p-adic or real (also real TGD seems to be free of divergences) or both? If it is both, how should one glue the physics in different number field together to get *The Physics*? Should one perform p-adicization also at the level of the configuration space of 3-surfaces? Certainly the p-adicization at the level of super-conformal representation is necessary for the p-adic mass calculations. Perhaps the most basic and most irritating technical problem was how to precisely define p-adic definite integral which is a crucial element of any variational principle based formulation of the field equations. Here the frustration was not due to the lack of solution but due to the too large number of solutions to the problem, a clear symptom for the sad fact that clever inventions rather than real discoveries might be in question.

Despite these frustrating uncertainties, the number of the applications of the poorly defined p-adic physics grew steadily and the applications turned out to be relatively stable so that it

was clear that the solution to these problems must exist. It became only gradually clear that the solution of the problems might require going down to a deeper level than that represented by reals and p-adics.

3.3 TGD as a generalization of physics to a theory consciousness

General coordinate invariance forces the identification of quantum jump as quantum jump between entire deterministic quantum histories rather than time=constant snapshots of single history. The new view about quantum jump forces a generalization of quantum measurement theory such that observer becomes part of the physical system. Thus a general theory of consciousness is unavoidable outcome. This theory is developed in detail in the books [10, 8, 9, 13, 11, 12, 14, 15].

3.3.1 Quantum jump as a moment of consciousness

The identification of quantum jump between deterministic quantum histories (configuration space spinor fields) as a moment of consciousness defines microscopic theory of consciousness. Quantum jump involves the steps

$$\Psi_i \rightarrow U\Psi_i \rightarrow \Psi_f \quad ,$$

where U is informational "time development" operator, which is unitary like the S-matrix characterizing the unitary time evolution of quantum mechanics. U is however only formally analogous to Schrödinger time evolution of infinite duration although there is *no* real time evolution involved. It is not however clear whether one should regard U-matrix and S-matrix as two different things or not: U -matrix is a completely universal object characterizing the dynamics of evolution by self-organization whereas S-matrix is a highly context dependent concept in wave mechanics and in quantum field theories where it at least formally represents unitary time translation operator at the limit of an infinitely long interaction time. The S-matrix understood in the spirit of superstring models is however something very different and could correspond to U-matrix.

The requirement that quantum jump corresponds to a measurement in the sense of quantum field theories implies that each quantum jump involves localization in zero modes which parameterize also the possible choices of the quantization axes. Thus the selection of the quantization axes performed by the Cartesian outsider becomes now a part of quantum theory. Together these requirements imply that the final states of quantum jump correspond to quantum superpositions of space-time surfaces which are macroscopically equivalent. Hence the world of conscious experience looks classical. At least formally quantum jump can be interpreted also as a quantum computation in which matrix U represents unitary quantum computation which is however not identifiable as unitary translation in time direction and cannot be 'engineered'.

3.3.2 The notion of self

The concept of self is absolutely essential for the understanding of the macroscopic and macro-temporal aspects of consciousness. Self corresponds to a subsystem able to remain un-entangled under the sequential informational 'time evolutions' U . Exactly vanishing entanglement is practically impossible in ordinary quantum mechanics and it might be that 'vanishing entanglement' in the condition for self-property should be replaced with 'subcritical entanglement'. On the other hand, if space-time decomposes into p-adic and real regions, and if entanglement between regions representing physics in different number fields vanishes, space-time indeed decomposes into selves in a natural manner.

It is assumed that the experiences of the self after the last 'wake-up' sum up to single average experience. This means that subjective memory is identifiable as conscious, immediate short term memory. Selves form an infinite hierarchy with the entire Universe at the top. Self can be also

interpreted as mental images: our mental images are selves having mental images and also we represent mental images of a higher level self. A natural hypothesis is that self S experiences the experiences of its subselves as kind of abstracted experience: the experiences of subselves S_i are not experienced as such but represent kind of averages $\langle S_{ij} \rangle$ of sub-subselves S_{ij} . Entanglement between selves, most naturally realized by the formation of join along boundaries bonds between cognitive or material space-time sheets, provides a possible a mechanism for the fusion of selves to larger selves (for instance, the fusion of the mental images representing separate right and left visual fields to single visual field) and forms wholes from parts at the level of mental images.

3.3.3 Relationship to quantum measurement theory

The third basic element relates TGD inspired theory of consciousness to quantum measurement theory. The assumption that localization occurs in zero modes in each quantum jump implies that the world of conscious experience looks classical. It also implies the state function reduction of the standard quantum measurement theory as the following arguments demonstrate (it took incredibly long time to realize this almost obvious fact!).

a) The standard quantum measurement theory a la von Neumann involves the interaction of brain with the measurement apparatus. If this interaction corresponds to entanglement between microscopic degrees of freedom m with the macroscopic effectively classical degrees of freedom M characterizing the reading of the measurement apparatus coded to brain state, then the reduction of this entanglement in quantum jump reproduces standard quantum measurement theory provide the unitary time evolution operator U acts as flow in zero mode degrees of freedom and correlates completely some orthonormal basis of configuration space spinor fields in non-zero modes with the values of the zero modes. The flow property guarantees that the localization is consistent with unitarity: it also means 1-1 mapping of quantum state basis to classical variables (say, spin direction of the electron to its orbit in the external magnetic field).

b) Since zero modes represent classical information about the geometry of space-time surface (shape, size, classical Kähler field,...), they have interpretation as effectively classical degrees of freedom and are the TGD counterpart of the degrees of freedom M representing the reading of the measurement apparatus. The entanglement between quantum fluctuating non-zero modes and zero modes is the TGD counterpart for the $m - M$ entanglement. Therefore the localization in zero modes is equivalent with a quantum jump leading to a final state where the measurement apparatus gives a definite reading.

This simple prediction is of utmost theoretical importance since the black box of the quantum measurement theory is reduced to a fundamental quantum theory. This reduction is implied by the replacement of the notion of a point like particle with particle as a 3-surface. Also the infinite-dimensionality of the zero mode sector of the configuration space of 3-surfaces is absolutely essential. Therefore the reduction is a triumph for quantum TGD and favors TGD against string models.

Standard quantum measurement theory involves also the notion of state preparation which reduces to the notion of self measurement. Each localization in zero modes is followed by a cascade of self measurements leading to a product state. This process is obviously equivalent with the state preparation process. Self measurement is governed by the so called Negentropy Maximization Principle (NMP) stating that the information content of conscious experience is maximized. In the self measurement the density matrix of some subsystem of a given self localized in zero modes (after ordinary quantum measurement) is measured. The self measurement takes place for that subsystem of self for which the reduction of the entanglement entropy is maximal in the measurement. In p-adic context NMP can be regarded as the variational principle defining the dynamics of cognition. In real context self measurement could be seen as a repair mechanism allowing the system to fight against quantum thermalization by reducing the entanglement for the subsystem for which it is largest (fill the largest hole first in a leaking boat).

3.3.4 Selves self-organize

The fourth basic element is quantum theory of self-organization based on the identification of quantum jump as the basic step of self-organization [I1]. Quantum entanglement gives rise to the generation of long range order and the emergence of longer p-adic length scales corresponds to the emergence of larger and larger coherent dynamical units and generation of a slaving hierarchy. Energy (and quantum entanglement) feed implying entropy feed is a necessary prerequisite for quantum self-organization. Zero modes represent fundamental order parameters and localization in zero modes implies that the sequence of quantum jumps can be regarded as hopping in the zero modes so that Haken's classical theory of self organization applies almost as such. Spin glass analogy is a further important element: self-organization of self leads to some characteristic pattern selected by dissipation as some valley of the "energy" landscape.

Dissipation can be regarded as the ultimate Darwinian selector of both memes and genes. The mathematically ugly irreversible dissipative dynamics obtained by adding phenomenological dissipation terms to the reversible fundamental dynamical equations derivable from an action principle can be understood as a phenomenological description replacing in a well defined sense the series of reversible quantum histories with its envelope.

3.3.5 Classical non-determinism of Kähler action

The fifth basic element are the concepts of association sequence and cognitive space-time sheet. The huge vacuum degeneracy of the Kähler action suggests strongly that the absolute minimum space-time is not always unique. For instance, a sequence of bifurcations can occur so that a given space-time branch can be fixed only by selecting a finite number of 3-surfaces with time like(!) separations on the orbit of 3-surface. Quantum classical correspondence suggest an alternative formulation. Space-time surface decomposes into maximal deterministic regions and their temporal sequences have interpretation a space-time correlate for a sequence of quantum states defined by the initial (or final) states of quantum jumps. This is consistent with the fact that the variational principle selects preferred extremals of Kähler action as generalized Bohr orbits.

In the case that non-determinism is located to a finite time interval and is microscopic, this sequence of 3-surfaces has interpretation as a simulation of a classical history, a geometric correlate for contents of consciousness. When non-determinism has long lasting and macroscopic effect one can identify it as volitional non-determinism associated with our choices. Association sequences relate closely with the cognitive space-time sheets defined as space-time sheets having finite time duration and psychological time can be identified as a temporal center of mass coordinate of the cognitive space-time sheet. The gradual drift of the cognitive space-time sheets to the direction of future force by the geometry of the future light cone explains the arrow of psychological time.

3.3.6 p-Adic physics as physics of cognition and intentionality

The sixth basic element adds a physical theory of cognition to this vision. TGD space-time decomposes into regions obeying real and p-adic topologies labelled by primes $p = 2, 3, 5, \dots$ p-Adic regions obey the same field equations as the real regions but are characterized by p-adic non-determinism since the functions having vanishing p-adic derivative are pseudo constants which are piecewise constant functions. Pseudo constants depend on a finite number of positive binary digits of arguments just like numerical predictions of any theory always involve decimal cutoff. This means that p-adic space-time regions are obtained by gluing together regions for which integration constants are genuine constants. The natural interpretation of the p-adic regions is as cognitive representations of real physics. The freedom of imagination is due to the p-adic non-determinism. p-Adic regions perform mimicry and make possible for the Universe to form cognitive representations about itself. p-Adic physics space-time sheets serve also as correlates for intentional action.

A more more precise formulation of this vision requires a generalization of the number concept obtained by fusing reals and p-adic number fields along common rationals (in the case of algebraic extensions among common algebraic numbers). This picture is discussed in [E1]. The application this notion at the level of the imbedding space implies that imbedding space has a book like structure with various variants of the imbedding space glued together along common rationals (algebraics). The implication is that genuinely p-adic numbers (non-rationals) are strictly infinite as real numbers so that most points of p-adic space-time sheets are at real infinity, outside the cosmos, and that the projection to the real imbedding space is discrete set of rationals (algebraics). Hence cognition and intentionality are almost completely outside the real cosmos and touch it at a discrete set of points only.

This view implies also that purely local p-adic physics codes for the p-adic fractality characterizing long range real physics and provides an explanation for p-adic length scale hypothesis stating that the primes $p \simeq 2^k$, k integer are especially interesting. It also explains the long range correlations and short term chaos characterizing intentional behavior and explains why the physical realizations of cognition are always discrete (say in the case of numerical computations). Furthermore, a concrete quantum model for how intentions are transformed to actions emerges.

The discrete real projections of p-adic space-time sheets serve also space-time correlate for a logical thought. It is very natural to assign to p-adic binary digits a p -valued logic but as such this kind of logic does not have any reasonable identification. p-Adic length scale hypothesis suggest that the $p = 2^k - n$ binary digits represent a Boolean logic B^k with k elementary statements (the points of the k -element set in the set theoretic realization) with n taboos which are constrained to be identically true.

3.4 TGD as a generalized number theory

Quantum T(opological)D(ynamics) as a classical spinor geometry for infinite-dimensional configuration space, p-adic numbers and quantum TGD, and TGD inspired theory of consciousness, have been for last ten years the basic three strongly interacting threads in the tapestry of quantum TGD. For few yeas ago the discussions with Tony Smith generated a fourth thread which deserves the name 'TGD as a generalized number theory'. It relies on the notion of number theoretic compactification stating that space-time surfaces can be regarded either as hyper-quaternionic, and thus maximally associative, 4-surfaces in M^8 identifiable as space of hyper-octonions or as surfaces in $M^4 \times CP_2$ [E2].

The discovery of the hierarchy of infinite primes and their correspondence with a hierarchy defined by a repeatedly second quantized arithmetic quantum field theory gave a further boost for the speculations about TGD as a generalized number theory. The work with Riemann hypothesis led to further ideas.

After the realization that infinite primes can be mapped to polynomials representable as surfaces geometrically, it was clear how TGD might be formulated as a generalized number theory with infinite primes forming the bridge between classical and quantum such that real numbers, p-adic numbers, and various generalizations of p-adics emerge dynamically from algebraic physics as various completions of the algebraic extensions of rational (hyper-)quaternions and (hyper-)octonions. Complete algebraic, topological and dimensional democracy would characterize the theory.

What is especially satisfying is that p-adic and real regions of the space-time surface could emerge automatically as solutions of the field equations. In the space-time regions where the solutions of field equations give rise to in-admissible complex values of the imbedding space coordinates, p-adic solution can exist for some values of the p-adic prime. The characteristic non-determinism of the p-adic differential equations suggests strongly that p-adic regions correspond to 'mind stuff', the regions of space-time where cognitive representations reside. This interpretation implies that

p-adic physics is physics of cognition. Since Nature is probably extremely brilliant simulator of Nature, the natural idea is to study the p-adic physics of the cognitive representations to derive information about the real physics. This view encouraged by TGD inspired theory of consciousness clarifies difficult interpretational issues and provides a clear interpretation for the predictions of p-adic physics.

3.5 Dynamical quantized Planck constant and dark matter hierarchy

By quantum classical correspondence space-time sheets can be identified as quantum coherence regions. Hence the fact that they have all possible size scales more or less unavoidably implies that Planck constant must be quantized and have arbitrarily large values. If one accepts this then also the idea about dark matter as a macroscopic quantum phase characterized by an arbitrarily large value of Planck constant emerges naturally as does also the interpretation for the long ranged classical electro-weak and color fields predicted by TGD. Rather seldom the evolution of ideas follows simple linear logic, and this was the case also now. In any case, this vision represents the fifth, relatively new thread in the evolution of TGD and the ideas involved are still evolving.

3.5.1 Dark matter as large \hbar phase

D. Da Rocha and Laurent Nottale [26] have proposed that Schrödinger equation with Planck constant \hbar replaced with what might be called gravitational Planck constant $\hbar_{gr} = \frac{GmM}{v_0}$ ($\hbar = c = 1$). v_0 is a velocity parameter having the value $v_0 = 144.7 \pm .7$ km/s giving $v_0/c = 4.6 \times 10^{-4}$. This is rather near to the peak orbital velocity of stars in galactic halos. Also subharmonics and harmonics of v_0 seem to appear. The support for the hypothesis coming from empirical data is impressive.

Nottale and Da Rocha believe that their Schrödinger equation results from a fractal hydrodynamics. Many-sheeted space-time however suggests astrophysical systems are not only quantum systems at larger space-time sheets but correspond to a gigantic value of gravitational Planck constant. The gravitational (ordinary) Schrödinger equation would provide a solution of the black hole collapse (IR catastrophe) problem encountered at the classical level. The resolution of the problem inspired by TGD inspired theory of living matter is that it is the dark matter at larger space-time sheets which is quantum coherent in the required time scale [D6].

Already before learning about Nottale's paper I had proposed the possibility that Planck constant is quantized [E9] and the spectrum is given in terms of logarithms of Beraha numbers: the lowest Beraha number B_3 is completely exceptional in that it predicts infinite value of Planck constant. The inverse of the gravitational Planck constant could correspond a gravitational perturbation of this as $1/\hbar_{gr} = v_0/GMm$. The general philosophy would be that when the quantum system would become non-perturbative, a phase transition increasing the value of \hbar occurs to preserve the perturbative character and at the transition $n = 4 \rightarrow 3$ only the small perturbative correction to $1/\hbar(3) = 0$ remains. This would apply to QCD and to atoms with $Z > 137$ as well.

TGD predicts correctly the value of the parameter v_0 assuming that cosmic strings and their decay remnants are responsible for the dark matter. The harmonics of v_0 can be understood as corresponding to perturbations replacing cosmic strings with their n-branched coverings so that tension becomes n^2 -fold: much like the replacement of a closed orbit with an orbit closing only after n turns. $1/n$ -sub-harmonic would result when a magnetic flux tube split into n disjoint magnetic flux tubes. Also a model for the formation of planetary system as a condensation of ordinary matter around quantum coherent dark matter emerges [D6].

3.5.2 Dark matter as a source of long ranged weak and color fields

Long ranged classical electro-weak and color gauge fields are unavoidable in TGD framework. The smallness of the parity breaking effects in hadronic, nuclear, and atomic length scales does not however seem to allow long ranged electro-weak gauge fields. The problem disappears if long range classical electro-weak gauge fields are identified as space-time correlates for massless gauge fields created by dark matter. Also scaled up variants of ordinary electro-weak particle spectra are possible. The identification explains chiral selection in living matter and unbroken $U(2)_{ew}$ invariance and free color in bio length scales become characteristics of living matter and of bio-chemistry and bio-nuclear physics. An attractive solution of the matter antimatter asymmetry is based on the identification of also antimatter as dark matter.

3.5.3 p-Adic and dark matter hierarchies and hierarchy of moments of consciousness

Dark matter hierarchy assigned to a spectrum of Planck constant having arbitrarily large values brings additional elements to the TGD inspired theory of consciousness.

a) Macroscopic quantum coherence can be understood since a particle with a given mass can in principle appear as arbitrarily large scaled up copies (Compton length scales as \hbar). The phase transition to this kind of phase implies that space-time sheets of particles overlap and this makes possible macroscopic quantum coherence.

b) The space-time sheets with large Planck constant can be in thermal equilibrium with ordinary ones without the loss of quantum coherence. For instance, the cyclotron energy scale associated with EEG turns out to be above thermal energy at room temperature for the level of dark matter hierarchy corresponding to magnetic flux quanta of the Earth's magnetic field with the size scale of Earth and a successful quantitative model for EEG results [M3].

Dark matter hierarchy leads to detailed quantitative view about quantum biology with several testable predictions [M3]. The applications to living matter suggests that the basic hierarchy corresponds to a hierarchy of Planck constants coming as $\hbar(k) = \lambda^k(p)\hbar_0$, $\lambda \simeq 2^{11}$ for $p = 2^{127-1}$, $k = 0, 1, 2, \dots$ [M3]. Also integer valued sub-harmonics and integer valued sub-harmonics of λ might be possible. Each p-adic length scale corresponds to this kind of hierarchy and number theoretical arguments suggest a general formula for the allowed values of Planck constant λ depending logarithmically on p-adic prime [C6]. Also the value of \hbar_0 has spectrum characterized by Beraha numbers $B_n = 4\cos^2(\pi/n)$, $n \geq 3$, varying by a factor in the range $n > 3$ [C6]. It must be however emphasized that the relation of this picture to the model of quantized gravitational Planck constant \hbar_{gr} appearing in Nottale's model is not yet completely understood.

The general prediction is that Universe is a kind of inverted Mandelbrot fractal for which each bird's eye of view reveals new structures in long length and time scales representing scaled down copies of standard physics and their dark variants. These structures would correspond to higher levels in self hierarchy. This prediction is consistent with the belief that 75 per cent of matter in the universe is dark.

1. *Living matter and dark matter*

Living matter as ordinary matter quantum controlled by the dark matter hierarchy has turned out to be a particularly successful idea. The hypothesis has led to models for EEG predicting correctly the band structure and even individual resonance bands and also generalizing the notion of EEG [M3]. Also a generalization of the notion of genetic code emerges resolving the paradoxes related to the standard dogma [L2, M3]. A particularly fascinating implication is the possibility to identify great leaps in evolution as phase transitions in which new higher level of dark matter emerges [M3].

It seems safe to conclude that the dark matter hierarchy with levels labelled by the values of Planck constants explains the macroscopic and macro-temporal quantum coherence naturally.

That this explanation is consistent with the explanation based on spin glass degeneracy is suggested by following observations. First, the argument supporting spin glass degeneracy as an explanation of the macro-temporal quantum coherence does not involve the value of \hbar at all. Secondly, the failure of the perturbation theory assumed to lead to the increase of Planck constant and formation of macroscopic quantum phases could be precisely due to the emergence of a large number of new degrees of freedom due to spin glass degeneracy. Thirdly, the phase transition increasing Planck constant has concrete topological interpretation in terms of many-sheeted space-time consistent with the spin glass degeneracy.

2. Dark matter hierarchy and the notion of self

The vision about dark matter hierarchy leads to a more refined view about self hierarchy and hierarchy of moments of consciousness [J6, M3]. The larger the value of Planck constant, the longer the subjectively experienced duration and the average geometric duration $T(k) \propto \lambda^k$ of the quantum jump.

Quantum jumps form also a hierarchy with respect to p-adic and dark hierarchies and the geometric durations of quantum jumps scale like \hbar . Dark matter hierarchy suggests also a slight modification of the notion of self. Each self involves a hierarchy of dark matter levels, and one is led to ask whether the highest level in this hierarchy corresponds to single quantum jump rather than a sequence of quantum jumps. The averaging of conscious experience over quantum jumps would occur only for sub-selves at lower levels of dark matter hierarchy and these mental images would be ordered, and single moment of consciousness would be experienced as a history of events. The quantum parallel dissipation at the lower levels would give rise to the experience of flow of time. For instance, hadron as a macro-temporal quantum system in the characteristic time scale of hadron is a dissipating system at quark and gluon level corresponding to shorter p-adic time scales. One can ask whether even entire life cycle could be regarded as a single quantum jump at the highest level so that consciousness would not be completely lost even during deep sleep. This would allow to understand why we seem to know directly that this biological body of mine existed yesterday.

The fact that we can remember phone numbers with 5 to 9 digits supports the view that self corresponds at the highest dark matter level to single moment of consciousness. Self would experience the average over the sequence of moments of consciousness associated with each sub-self but there would be no averaging over the separate mental images of this kind, be their parallel or serial. These mental images correspond to sub-selves having shorter wake-up periods than self and would be experienced as being time ordered. Hence the digits in the phone number are experienced as separate mental images and ordered with respect to experienced time.

3. The time span of long term memories as signature for the level of dark matter hierarchy

The simplest dimensional estimate gives for the average increment τ of geometric time in quantum jump $\tau \sim 10^4 CP_2$ times so that $2^{127} - 1 \sim 10^{38}$ quantum jumps are experienced during secondary p-adic time scale $T_2(k = 127) \simeq 0.1$ seconds which is the duration of physiological moment and predicted to be fundamental time scale of human consciousness [L1]. A more refined guess is that $\tau_p = \sqrt{p}\tau$ gives the dependence of the duration of quantum jump on p-adic prime p . By multi-p-fractality predicted by TGD and explaining p-adic length scale hypothesis, one expects that at least $p = 2$ -adic level is also always present. For the higher levels of dark matter hierarchy τ_p is scaled up by \hbar/\hbar_0 . One can understand evolutionary leaps as the emergence of higher levels at the level of individual organism making possible intentionality and memory in the time scale defined τ [L2].

Higher levels of dark matter hierarchy provide a neat quantitative view about self hierarchy and its evolution. For instance, EEG time scales corresponds to $k = 4$ level of hierarchy and a time scale of .1 seconds [J6], and EEG frequencies correspond at this level dark photon energies

above the thermal threshold so that thermal noise is not a problem anymore. Various levels of dark matter hierarchy would naturally correspond to higher levels in the hierarchy of consciousness and the typical duration of life cycle would give an idea about the level in question.

The level would determine also the time span of long term memories as discussed in [M3]. $k = 7$ would correspond to a duration of moment of conscious of order human lifetime which suggests that $k = 7$ corresponds to the highest dark matter level relevant to our consciousness whereas higher levels would in general correspond to transpersonal consciousness. $k = 5$ would correspond to time scale of short term memories measured in minutes and $k = 6$ to a time scale of memories measured in days.

The emergence of these levels must have meant evolutionary leap since long term memory is also accompanied by ability to anticipate future in the same time scale. This picture would suggest that the basic difference between us and our cousins is not at the level of genome as it is usually understood but at the level of the hierarchy of magnetic bodies [L2, M3]. In fact, higher levels of dark matter hierarchy motivate the introduction of the notions of super-genome and hyper-genome. The genomes of entire organ can join to form super-genome expressing genes coherently. Hyper-genomes would result from the fusion of genomes of different organisms and collective levels of consciousness would express themselves via hyper-genome and make possible social rules and moral.

4 Bird's eye of view about the topics of the book

In this book I will discuss in detail view about the quantum hardware of living systems taking seriously the new physics predicted by TGD. Since the vision is bound to be look highly speculative it is good to emphasize that the most important predictions follow almost without any reference to the classical field equations using only quantum classical correspondence.

4.1 The implications deriving from the topology of space-time surface and from the properties of induced gauge fields

Quantum classical correspondence and the properties of the simplest extremals of Kähler action have served as the basic guideline in the attempts to understand the new physics predicted by TGD. The most dramatic predictions follow without even considering field equations in detail by using only quantum classical correspondence. These predictions form the backbone of TGD and TGD inspired theory of living mater.

The notions of many-sheeted space-time, topological field quantization and the notion of field/magnetic body, follow from simple topological considerations. The observation that space-time sheets can have arbitrarily large sizes and their interpretation as quantum coherence regions forces to conclude that in TGD Universe macroscopic and macro-temporal quantum coherence are possible in arbitrarily long scales. It took a relatively long time to realize that perhaps the only manner to understand this is a generalization of the quantum theory itself by allowing Planck constant to be dynamical and quantized. TGD leads indeed to a "prediction" for the spectrum of Planck constants and macroscopic quantum phases with large value of Planck constant allow an identification as a dark matter hierarchy.

Also long ranged classical color and electro-weak fields are an unavoidable prediction and it took a considerable time to make the obvious conclusion. The physics of TGD Universe is fractal containing fractal copies of standard model physics at various space-time sheets and labelled by the collection of p-adic primes assignable to elementary particles and by the level of dark matter hierarchy defines as $\hbar = \lambda^k \hbar_0$, $k_d = 0, 1, \dots$. λ depends logarithmically on p-adic length scale $L(k)$ and satisfies $\lambda \simeq 2^{11}$ for $k = 137$ characterizing atomic length scale. Dark space-time sheets are identifiable as space-time sheets defining locally λ^k -fold covering of M^4 factor of imbedding space.

The new view about energy and time means that the sign of inertial energy depends on the time orientation of the space-time sheet and that negative energy space-time sheets serve as correlates for communications to the geometric past. This alone leads to profoundly new views about metabolism, long term memory, and realization of intentional action.

4.2 Vacuum degeneracy of Kähler action as a correlate for quantum criticality and 4-dimensional spin glass degeneracy

The general properties of Kähler action, in particular its vacuum degeneracy and the failure of the classical determinism in the conventional sense, have also very profound implications. Space-time surface as a generalization of Bohr orbit provides not only a representation for quantum state but also for sequences of quantum jumps and thus contents of consciousness. Vacuum degeneracy implies spin glass degeneracy in 4-D sense reflecting quantum criticality which is the fundamental characteristic of TGD Universe.

4.3 The simplest extremals of Kähler action as correlates for asymptotic self organization patterns

The detailed study of the simplest extremals of Kähler action interpreted as correlates for asymptotic self organization patterns provides additional insights [D1]. CP_2 type extremals representing elementary particles, cosmic strings, vacuum extremals, topological light rays ("massless extremal", ME), flux quanta of magnetic and electric fields represent the basic extremals. Pairs of wormhole throats identifiable as parton pairs define a completely new kind of particle carrying only color quantum numbers in ideal case and I have proposed their interpretation as quantum correlates for Boolean cognition. MEs and flux quanta of magnetic and electric fields are of special importance in living matter.

Topological light rays have interpretation as space-time correlates of "laser beams" of ordinary or dark photons or their electro-weak and gluonic counterparts. Neutral MEs carrying em and Z^0 fields are ideal for communication purposes and charged W MEs ideal for quantum control. Magnetic flux quanta containing dark matter are identified as intentional agents quantum controlling the behavior of the corresponding biological body parts utilizing negative energy W MEs. Bio-system in turn is populated by electrets identifiable as electric flux quanta.

Three chapters of this book are devoted to the model of high T_c super-conductivity relying strongly on the notions of quantum criticality and dark matter. The remaining two chapters discuss quantum antenna hypothesis inspired by MEs and the notion of wormhole magnetic fields. I must apologize the fact that the introduction is somewhat ahead of the chapters of the book which have developed slowly during the last decade. In particular, the implications of the dark matter revolution which has occurred during last year and still continues, have not been considered thoroughly yet.

The seven online books about TGD [1, 2, 4, 5, 3, 6, 7] and eight online books about TGD inspired theory of consciousness and quantum biology [10, 8, 9, 13, 11, 12, 14, 15] are warmly recommended for the reader willing to get overall view about what is involved.

5 The contents of the book

5.1 PART I: Bio-systems as super-conductors

5.1.1 Bio-systems as superconductors: part I

In this chapter the description of super-conductivity in many-sheeted space-time is discussed. The notion of many-sheeted space-time alone provides strong motivation for this and I have developed

various ideas about high T_c super-conductivity in parallel with ideas about living matter as a macroscopic quantum system. A further motivation and a hope for more quantitative modelling comes from the discovery of various non-orthodox super-conductors including high T_c superconductors, heavy fermion super-conductors and ferromagnetic superconductors. The standard BCS theory does not work for these super-conductors and the mechanism for the formation of Cooper pairs is not understood. There is experimental evidence that quantum criticality is a key feature of many non-orthodox super-conductors. TGD provides a conceptual framework and bundle of ideas making it possible to develop models for non-orthodox superconductors.

1. *Quantum criticality, hierarchy of dark matters, and dynamical \hbar*

Quantum criticality is the basic characteristic of TGD Universe and quantum critical super-conductors provide an excellent test bed to develop the ideas related to quantum criticality into a more concrete form.

The hypothesis that \hbar is dynamical possessing quantized spectrum adds further content to the notion of quantum criticality. Phases with different values of \hbar behave like dark matter with respect to each other in the sense that they do not have direct interactions. In large \hbar phases various quantum time and length scales are scaled up which means macroscopic and macro-temporal quantum coherence.

The great idea is that the transition to large \hbar phase occurs when perturbation theory based on the expansion in terms of gauge coupling constant ceases to converge: Mother Nature would take care of the problems of theoretician. The transition to large \hbar phase obviously reduces gauge coupling strength α so that higher orders in perturbation theory are reduced whereas the lowest order "classical" predictions remain unchanged. A possible quantitative formulation of the criterion is that maximal 2-particle gauge interaction strength parameterized as $Q_1 Q_2 \alpha$ satisfies the condition $Q_1 Q_2 \alpha \simeq 1$.

A further hypothesis is that in the transition to large \hbar phase the scaling $\hbar \rightarrow n\hbar/v_0$, where n is integer and $v_0 \simeq 2^{-11}$ is expressible in terms of the ratio of Planck length to CP_2 length scale.

The only coupling constant strength of theory is Kähler coupling constant g_K^2 which appears in the definition of the Kähler function K characterizing the geometry of the configuration space of 3-surfaces (the "world of classical worlds"). The exponent of K defines vacuum functional analogous to the exponent of Hamiltonian in thermodynamics. The allowed values of g_K^2 , which are analogous to critical temperatures, are determined by quantum criticality requirement and labelled by p-adic primes. \hbar appears in the commutation and anticommutation relations of various superconformal algebras but not in the vacuum functional. For a given p-adic length scale space-time sheets with all allowed values of \hbar are therefore possible. Hence the spectrum of quantum critical fluctuations could in the ideal case correspond to the spectrum of \hbar coding for the scaled up values of Compton lengths and other quantal lengths and times. If so, large \hbar phases could be crucial for understanding of quantum critical superconductors, in particular high T_c superconductors.

TGD actually predicts an infinite hierarchy of phases behaving like dark or partially dark matter with respect to the ordinary matter and the value of \hbar is only one characterizer of these phases. These phases, especially so large \hbar phase, seem to be essential for the understanding of even ordinary hadronic, nuclear and condensed matter physics. This strengthens the motivations for finding whether dark matter might be involved with quantum critical super-conductivity.

2. *Many-sheeted space-time concept and ideas about macroscopic quantum phases*

Many-sheeted space-time leads to obvious ideas concerning the realization of macroscopic quantum phases.

1. The dropping of particles to larger space-time sheets is a highly attractive mechanism of super-conductivity. If space-time sheets are thermally isolated, the larger space-time sheets could be at extremely low temperature and super-conducting.

2. The possibility of large \hbar phases allows to give up the assumption that space-time sheets characterized by different p-adic length scales are thermally isolated. The scaled up versions of a given space-time sheet corresponding to a hierarchy of values of \hbar are possible such that the scale of kinetic energy and magnetic interaction energy remain same for all these space-time sheets. For instance, for scaled up variants of space-time sheet having size scale characterized by $L(151) = 10$ nm (cell membrane thickness) the critical temperature for superconductivity could be higher than room temperature.
3. The idea that wormhole contacts can form macroscopic quantum phases and that the interaction of ordinary charge carriers with the wormhole contacts feeding their gauge fluxes to larger space-time sheets could be responsible for the formation of Cooper pairs, have been around for a decade. The realization that wormhole contacts can be regarded as parton-antiparton pairs with parton and antiparton assignable to the light-like causal horizons accompanying wormhole contacts, opens the doors for more concrete models. The simplest idea is that em charged Cooper pairs can be modelled as a pair of charged particles at a space-time sheet X_c^4 topologically condensed to the background space-time sheet Y^4 of condensed matter system. The Coulombic binding energy of charges particles with the quarks and antiquarks assignable to the wormhole throats feeding the em gauge flux to Y^4 could be responsible for the energy gap.
4. Quantum classical correspondence has turned out be a very powerful idea generator. For instance, one can ask what are the space-time correlates for various notions of condensed matter such as phonons, BCS Cooper pairs, holes, etc... For instance, TGD predicts the existence of negative energy space-time sheets so that ordinary particles can and must exist in negative energy states (in cosmological scales the density of inertial energy is predicted to vanish). The question is whether holes could have quite concrete representation as negative energy space-time sheets carrying negative energy particles and whether the notion of Cooper pair of holes could have this kind of space-time correlate.

3. Model for high T_c superconductivity

These general ideas lead to a concrete model for high T_c superconductors as quantum critical superconductors allowing to understand the characteristic spectral lines as characteristics of the Cooper pair. The model for quantum critical electronic Cooper pairs generalizes to Cooper pairs of fermionic ions and for sufficiently large \hbar stability criteria, in particular thermal stability conditions, can be satisfied in a given length scale. Also high T_c superfluidity based on dropping of bosonic atoms to Cooper pair space-time sheets where they form Bose-Einstein condensate is possible and part of copper atoms are predicted to be dark matter.

At qualitative level the model explains various strange features of high T_c superconductors such as the existence of pseudogap: this is due to the fact that two kinds of super-conductivities corresponding to BCS type large \hbar supra currents at interior and boundary supra currents carried by wormholly Cooper pairs. At quantitative level the model predicts correctly the four poorly understood photon absorption lines and allows to understand the critical doping ratio. The current carrying structures have structure similar to that of axon including the double layered structure of cell membrane and also the size scales are predicted to be same so that the idea that axons are high T_c superconductors is highly suggestive.

4. Empirical evidence for high T_c superconductivity in bio-systems

The evidence for super-conductivity in bio-systems. DNA should be insulator but under some circumstances it becomes conductor and perhaps even high T_c quantum critical super-conductor. Also evidence for Josephson effect has been reported. The so called ORMEs patented by Hudson are claimed to behave like superconductors: unfortunately the academic world has not taken

these claims seriously enough to test them. The claimed properties of ORMEs conform with high quantum critical T_c super-conductivity and superfluidity. The strange findings about the strange quantal behavior of ionic currents through cell membranes suggest the presence of ionic supra currents.

5.1.2 Bio-systems as superconductors: part II

The general model for quantum control and coordination relies crucially on the existence of a hierarchy of superconductors associated with the self hierarchy (self defined as a quantum system able to avoid bound state entanglement with environment) controlling the ionic densities at atomic space-time sheets via many-sheeted ionic flow equilibrium and being quantum controlled with the mediation of the fractal hierarchy of MEs.

1. General mechanisms for superconductivity

The many-sheeted space-time concept provides a very general mechanism of superconductivity based on the 'dropping' of charged particles from atomic space-time sheets to larger space-time sheets. The first guess was that larger space-time sheets are very dry, cool and silent so that the necessary conditions for the formation of high T_c macroscopic quantum phases are met.

The possibility of large \hbar quantum coherent phases makes however the assumption about thermal isolation between space-time sheets un-necessary. At larger space-time sheet the interactions of the charged particles with classical em fields generated by various wormhole contacts feeding gauge fluxes to and from the space-time sheet in question give rise to the necessary gap energy. The simplest model for Cooper pair is space-time sheet containing charged particles having attractive Coulombic interaction with the quarks and antiquarks associated with the throats of the wormhole contacts.

A crucial element is quantum criticality predicting that superconductivity appears at the fluctuating boundaries of competing ordinary and large \hbar phases for nuclei. This assumption predicts several anomalous phenomena such as cold fusion and nuclear transmutations. Also high T_c superfluidity of bosonic atoms dropped to space-time sheets of electronic Cooper pairs becomes possible besides ionic super conductivity. Even dark neutrino superconductivity can be considered below the weak length scale of scaled down weak bosons.

Magnetic and Z^0 magnetic flux tubes and walls are especially interesting candidates for supra current carries. In this case the Cooper pairs must have spin one and this is indeed possible for wormholly Cooper pairs. The fact that the critical magnetic (Z^0 magnetic) fields can be very weak or large values of \hbar is in accordance with the idea that various almost topological quantum numbers characterizing induced magnetic fields provide a storage mechanism of bio-information.

This mechanism is extremely general and works for electrons, protons, ions, charged molecules and even exotic neutrinos so that an entire zoo of high T_c bio-superconductors, super-fluids and Bose-Einstein condensates is predicted. Of course, there are restrictions due to the critical temperature and it seems that only electron, neutrino, and proton Cooper pairs are possible at room temperature.

1. The experimental data about the effects of ELF em fields at cyclotron frequencies of various ions in Earth's magnetic field on bio-systems provide support for this scenario. Most remarkably, the cyclotron frequencies of biologically important ions correspond to the important frequencies of EEG and the time scale of nerve pulse corresponds to $n = 3$ multiple of proton cyclotron frequency so that a direct quantitative contact with brain consciousness results.
2. Electronic super conductors are of type II with defect regions being typically cylindrical: DNA sequences, proteins, microtubules,... could provide examples of the defect regions. One ends up also with a model of high T_c super conductors in which the interaction of the electrons

with wormhole BE condensate gives rise to Cooper pairs. The model explains elegantly the basic peculiar features of the high T_c superconductors.

3. Long ranged Z^0 force due to anomalous weak isospin of nuclei and Z^0 charged wormholes make possible also Z^0 ionic superconductivity and even dark neutrino super conductivity. For instance, Z^0 ionic superconductivity is crucial in the model for the quantum correlate of hearing: audible frequencies are mapped to Z^0 cyclotron frequencies. Dark neutrino super conductors are of type I in the interesting length scale range and defect regions are stripe like. Besides cell and endoplasma membranes, epithelial sheets consisting of two cell layers and some larger structures in cortex could correspond to regions of this kind and the interpretation as a physical realization of cognitive hierarchy suggests itself.

2. Superconductivity at magnetic flux quanta in astrophysical length scales

Magnetic flux tubes of Earth's magnetic field are crucial for the TGD based model of superconductivity. Since the models of auroras assume that the magnetic flux lines act effectively as conducting wires, the natural hypothesis is that superconductivity is an astrophysical phenomenon. This leads to a model of auroras explaining the latest findings and providing further insights to the superconductivity and the manner how it breaks down. Critical temperature is the temperature at which the join along boundaries bonds making possible the leakage of the supra currents to the non-superconducting space-time sheets become possible and can be gigantic as compared to the temperature at the superconducting space-time sheets.

3. Fractal hierarchy of EEGs

There are three contributions to EEG besides neural noise: Schumann frequencies, cyclotron frequencies, and the frequencies associated with Josephson junctions determined by the sum of the constant voltage and voltage perturbation determined by the superposition of cyclotron frequencies. Cyclotron contribution can be interpreted as a control signal from a magnetic body in question labelled by k_d and affects both the ions at the flux sheets traversing DNA and the Josephson junction. The coherent state of photons generated by Josephson current corresponds to a reaction to this signal received by the magnetic body as a feedback. Schumann frequencies can be assigned to the control by magnetic body of Earth and correlate with the collective aspects of consciousness.

The analysis of the Josephson current leads to the conclusion that the frequencies in the coherent state of photons are in general sums and differences of Josephson frequency and harmonics of cyclotron frequencies. For small amplitudes this implies that alpha band to which the cyclotron frequencies most biologically important bosonic ions corresponds has as satellites theta and beta bands. Higher harmonics correspond to gamma and higher bands having also satellites. For large amplitudes EEG becomes chaotic which is indeed the property of beta band during say intense concentration or anxiety. The findings of Nunez about narrow 1-2 Hz wide bands at 3,5,7 Hz and 13,15,17 Hz confirm with the prediction of satellite bands and fix the Josephson frequency to 5 Hz. This picture explains the general characteristics of EEG in wake-up state qualitatively and quantitatively.

In order to understand the characteristics during various stages of deep sleep one must assume that the cyclotron frequency scale of ions is scaled down by a factor of 1/2. One explanation is that right *resp.* left brain hemisphere corresponds to $Z = 2$ *resp.* $Z = 1$ quantization condition $Z \int B dS = n\hbar$ for the magnetic flux. $Z = 2$ case allows only doubly charged bosonic ions at magnetic flux sheets. $Z = 1$ case also also singly charged ions be their bosons or fermions and for this option magnetic field is scaled down by a factor of 1/2. The alternative explanation is that during sleep only Bose-Einstein condensates of singly charged exotic ions resulting when color bond inside nucleus becomes charged are present. This reduces the scale of cyclotron frequencies by a factor 1/2 and leaves only theta and delta bands. During stage 4 sleep only only DNA cyclotron

frequencies in delta band are around 1 Hz and just above the thermal threshold are predicted to be present. For $k_d = 3$ and magnetic field scaled up by λ and flux tube area scaled down by λ^{-2} DNA frequencies are scaled up to kHz for $Z = 2$ flux quantization and might define neuronal synchronization frequencies.

4. *The effects of ELF em fields on brain*

The experimental data about the effects of ELF em fields at cyclotron frequencies of various ions in the magnetic field $B_{end} = 2B_E/5 = .2$ Gauss, where $B_E = .5$ Gauss is the nominal Earth's magnetic field, on vertebrate brains provide a test bench for the fractal hierarchy of EEGs. As a matter fact, it was the attempt to explain these effects, which eventually led to the discovery of the fractal hierarchy of EEGs and ZEGs.

The reported effects occur for harmonics of cyclotron frequencies of biologically important ions in B_{end} . They occur only in amplitude windows. The first one is around 10^{-7} V/m and second corresponds to the range 1 – 10 V/m: the amplitudes of EEG waves are in the range 5-10 V/m. The effects are present only in the temperature interval 36-37 C.

The temperature interval has interpretation in terms of quantum criticality of high T_c superconductivity (both interior and boundary super currents are possible in this interval). Amplitude windows correspond to resonant EEG bands if the voltage perturbations contribute to the voltages over Josephson junctions and are thus coded to EEG. That the effects occur only for cyclotron frequencies and in the amplitude windows can be understood if there is AND gate involved. The voltage signal affects the interior of the cell nucleus opening communication line to the magnetic body if a harmonic of cyclotron frequency is in question. The signal affects also the Josephson junction which sends a signal to magnetic body if the voltage of the perturbation is large enough and corresponds to a frequency in the resonance band of EEG. The response of the magnetic body affects nucleus only if the communication line is open. This AND gate eliminates very effectively the effects of neural noise.

5.1.3 Bio-systems as Superconductors: Part III

This chapter is devoted to further applications of the theory of high T_c superconductors as quantum critical superconductors involving dark matter hierarchy and large values of \hbar . The theory is applied to explain the strange findings about ionic currents through cell membrane, exotic neutrino superconductivity and the notion of cognitive neutrino pair are discussed, and the possibility that superconductivity and Bose-Einstein condensates are involved with atmospheric phenomena is considered.

1. *Strange behavior of cellular water and quantal ionic currents through cell membrane*

The fact that cellular water does not leak out of cell in a centrifugal force suggests that some fraction of water inside cell is in different phase. One explanation is that the nuclei of water inside cell are in doubly dark phase whereas electrons are in singly dark phase (having Compton length of 5 nm and perhaps directly "visible" using day technology!) as indeed predicted by the model of high T_c superconductivity. This conceptual framework could explain various findings challenging the notions of ionic pumps.

The empirical findings challenging the notions of ionic pumps and channels, nicely summarized by G. Pollack in his book, provide a strong support for the notions of many-sheeted space-time and ionic super-conductivity.

1. The selectivity of the cell membrane implies that channels cannot be simple sieves and there must be complex information processing involved.
2. The needed number of pumps specialized to particular ions is astronomical and the first question is where to put all these channels and pumps. On the other hand, if the cell

constructs the pump or channel specialized to a given molecule only when needed, how does it know what the pump looks like if it has never seen the molecule? The needed metabolic energy to achieve all the pumping and channelling is huge. Strangely enough, pumping does not stop when cell metabolism stops.

3. One can also wonder why the ionic currents through cell membrane look quantal and are same through cell membrane and silicon rubber membrane.

These observations suggest strongly the presence non-dissipative ionic currents and quantum self-organization. The TGD based explanation would be in terms of high T_c electronic and possibly even ionic superconductivity associated with cell membrane made possible by the large \hbar phase for nuclei and electrons in the interior of cell. It however seems that thermal stability conditions allow only protonic Cooper pairs in the model of ionic Cooper pairs based on direct generalization of the model of high T_c electronic super conductivity. This does not however mean that quantal ionic currents would be absent. This empirical input also supports a view about homeostasis as a many-sheeted ionic flow equilibrium controlled by larger space-time sheets with the mediation of massless extremals (MEs) serving as space-time correlates for Bose-Einstein condensates of massless bosons (also of scaled down dark electro-weak bosons and gluons).

In the proposed picture one can understand how extremely low densities of ions and their supra currents can control much higher ion densities at the atomic space-time sheets. The liquid crystal nature of the bio-matter is crucial for the model. This vision allows also much better understanding of the effects of ELF em fields on bio-matter. Also the effects of homeopathic remedies and acupuncture known to crucially involve electromagnetic frequency signatures of chemicals can be understood if homeostasis is based on many-sheeted ionic flow equilibrium.

2. Dark Z^0 magnetic fields and cognition

Similar arguments as in the em case apply in the scale $L_w = .2 \mu\text{m}$ for Z^0 magnetic transitions with scale about 10^4 eV much above the thermal energy scale. The hierarchy of length scales is now $L_w = .2 \mu\text{m}, .4 \text{ mm}, .8 \text{ m}, \dots$ $L_w = .4 \text{ mm}$, possibly characterizing mm sized cortical modules, corresponds roughly to a frequency scale $40/A$ Hz, A atomic weight. The thermal stability supports the earlier idea that Z^0 force, dark neutrino superconductivity, $\nu\bar{\nu}$ wormhole contacts, and ZEG relate to cognition which must be thermally insulated whereas electromagnetic interactions would relate to sensory perception which could be highly sensitive even to temperature differences.

3. Dark neutrino super conductivity

Neutrinos play a key role in TGD based model for cognition and hearing and it is interesting to see whether this model survives the radically different interpretation of long ranged weak fields forcing to introduce large \hbar variants of $k = 113$ weak bosons. The notion of cognitive neutrino pair generalizes elegantly to $\nu\bar{\nu}$ wormhole contact such that ν is dark neutrino coupling to exotic light weak bosons. The model for quantum critical electronic superconductivity discussed in previous chapter generalizes in a rather straightforward manner and together with its electronic counterpart correctly predicts and provides interpretation for the fundamental biological length scales.

A strong deviation from the previous picture is that one must however assume that the neutrinos which are most relevant for cognition correspond to $k = 127$ and mass of order .5 MeV. Quantum model of hearing, which is one of the quantitative victories of TGD inspired theory of consciousness, is not affected appreciably if one requires that the Gaussian Mersennes $k = 167, 163, 157$ label scaled down copies of charged leptons with $k = 113$ defining the mass scales of exotic weak bosons. Neutrino mass scale should be much lower than .5 eV mass of exotic electron (the metabolic energy quantum by the way) rather than .5 MeV mass scale.

The large neutrino mass scale could be understood as effective mass scale if the neutrino space-time sheets are connected by color magnetic flux tubes with $k = 127$ quarks at their ends in the same manner as nucleons form nuclear strings in TGD based model of nucleus. Also

leptomesons, which have been identified as pion like bound states of color octet leptons and explain the anomalous production of electron pairs in the scattering of heavy nuclei just above Coulomb wall, could be understood as exotic $k = 167$ lepton space-time sheets connected together by color bonds having $k = 127$ quarks at their ends. There would be quark-antiquark pair per lepton making possible color octet state.

4. Atmospheric phenomena and superconductivity

There is a considerable evidence that various electromagnetic time scales associated with the atmospheric phenomena correspond to those associated with brain functioning. If magnetic sensory canvas hypothesis holds true, this is just what is expected. In this section these phenomena are considered in more detail with the aim being to build as concrete as possible vision about the dynamics involving the dark matter Bose-Einstein condensates at super-conducting magnetic and Z^0 magnetic flux quanta.

Tornadoes and hurricanes provide the first example of self-organizing systems for which Bose-Einstein condensates of dark matter at magnetic and Z^0 magnetic flux quanta might be of relevance. Auroras represent a second phenomenon possibly involving supra currents of Cooper pairs and of exotic ions. Lightnings, sprites and elves might also involve higher levels of dark matter hierarchy. p-Adic length scale hypothesis and the hierarchy of Planck constants provide a strong grasp to these far from well-understood phenomena and allow to build rather detailed models for them as well as to gain concrete understanding about how dark matter hierarchy manifests itself in the electromagnetic phenomena at the level of atmosphere.

5.2 PART II: Topological light rays and wormhole magnetic fields

5.2.1 Quantum antenna hypothesis

So called massless extremals are non-vacuum extremals of both Kähler action and the EYM action serving as effective action of the theory. These extremals have cylindrical geometry and are carriers of purely classical vacuum currents and Einstein tensor, which are both light like. These vacuum currents generate coherent states of photons and gravitons with frequencies coming as multiples of the basic frequency determined by the length of the microtubule. It is proposed that microtubules and other linear structures could act as quantum antennae so that coherent light is for brain same as radiowaves for us. Massless extremals associated with axonal microtubules or axons themselves could serve as waveguides for the photons of coherent light and realize the notion of neural window abstracted from the paradigm of holographic brain. Vacuum currents could be also behind the ability of the bio-systems to form representations of the external world.

There is indeed evidence for the quantum antenna hypothesis: some monocellulars are known to possess primitive microtubular vision, bio-photons of Popp could be generated by massless extremals and the observations of Callahan support the view that odor perception of insects relies on maserlike emissions by the odour molecules. The coherent light emitted in sonoluminescence could be generated by lightlike vacuum currents associated with regions with size given roughly by the diameter of microtubule when vapour-to-liquid phase transition occurs at the final stage of the bubble collapse. Also the observed direct transformation of kinetic energy of fluid motion to chemical energy could involve generation of massless extremals.

The lightlike boundaries of MEs have the same miraculous conformal properties as the boundary of future lightcone and MEs also allow holography in the sense of quantum gravity and string models and there are good hopes to generalize the construction of the configuration space geometry and quantum TGD to take into account the classical non-determinism of Kähler action. MEs provide a justification for the intuition that the supercanonical and superconformal symmetries of the lightcone boundary $\delta M_+^4 \times CP_2$, which are cosmological symmetries, generalize to approximate macroscopic symmetries acting on the lightlike boundaries of the space-time sheets inside future

lightcone and broken only by quantum gravity. Supercanonical symmetries almost-commute with Poincare symmetries and the gigantic almost-degenerate supercanonical multiplets defined by genuinely quantum gravitational state functionals in the 'world of worlds' correspond in a well-defined sense to higher abstraction level expected to be crucial for understanding consciousness. MEs are also tailor-made for quantum holography and teleportation. Quantum holography conceptualization inspires much more detailed views about how bio-systems process information and how this information becomes conscious.

5.2.2 Wormhole magnetic fields

It is argued that two purely TGD based concepts: topological field quantization and wormhole BE condensate are fundamental for the understanding of biosystems.

1. Basic concepts

Quantum classical correspondence suggests that gauge charges and p-adic coupling constant should have space-time counterparts. The first problem is to define precisely the concepts like classical gauge charge, gauge flux, topological condensation and evaporation. The crucial ingredients in the model are so called CP_2 type extremals. The realization that $\#$ contacts (topological sum contacts and $\#_B$ contacts (join along boundaries bonds) are accompanied by causal horizons which carry quantum numbers and allow identification as partons leads to a solution of this problem.

The partons associated with topologically condensed CP_2 type extremals carry elementary particle vacuum numbers whereas the parton pairs associated with $\#$ contacts connecting two space-time sheets with Minkowskian signature of induced metric define parton pairs. These parton pairs do not correspond to ordinary elementary particles. Gauge fluxes through $\#$ contacts can be identified as gauge charges of the partons. Gauge fluxes between space-time sheets can be transferred through $\#$ and $\#_B$ contacts concentrated near the boundaries of the smaller space-time sheet.

2. Model for topologically quantized magnetic fields

Topological field quantization replaces classical magnetic fields with bundles of flux tubes parallel to the field lines; flux tubes are cylindrical 3-surfaces with outer boundary. In particular, "wormhole magnetic fields" having charged wormholes situated at the boundaries of the flux tubes as their sources, are possible and are vacuum configurations in the sense that they do not contain ordinary matter at all. Since wormholes are very light particles, they suffer BE condensation, and the resulting structure is macroscopic quantum system.

If the space-time sheets associated with the wormhole magnetic field have opposite time orientation, the structure can have vanishing net energy and is thus an ideal candidate for a mindlike space-time sheet (or pair of these). These structures can be glued to the boundary of material space-time sheet and they form a cognitive local representation for the classical fields at the material space-time sheets by a direct mimicry! Thus wormhole magnetic fields and more general structures of the same kind could realize quantum physicist's version about the computer scientist's dream about universe consisting of Turing machines emulating each other.

3. Models for Comorosan effect, phantom DNA effect, and homeopathy

It is shown that the concept of wormhole magnetic field leads to a rather detailed understanding of *Comorosan effect* and *phantom DNA effect*. Homeopathy could be explained in terms of the mindlike space-time sheets mimicking the properties of the drug and left to the solution in the repeated dilution of the drug. Wormhole magnetic fields provide a quantum mechanism of control from distance, say of the control of the behavior of cell organelles by cell nucleus as well as a model for the memory of bio-system in terms of integer valued winding numbers identifiable as quantized momenta of wormhole supra currents. Wormhole magnetic fields can also represent defects of

electron and neutrino super conductors and serve as a templates for the topological condensation of ordinary matter. The fact that wormhole flux tubes are *hollow* cylinders, is in nice accordance with this idea (microtubules, axonal membranes, etc. are hollow cylinders).

4. TGD inspired model for psychokinesis

A model of psychokinesis (PK) based on the concept of wormhole magnetic field is proposed. The basic philosophy is that PK is not just some isolated exotic phenomenon but only a special case of the voluntary control of bodily motions, which we all routinely perform. The only difference is that the range of voluntary control extends over the boundaries of the body in case of PK. The conclusion is that PK phenomena must involve classical long range fields, which give for bio-systems spatial extension larger than what is visible (that is hands with which to grasp on external object!). According to TGD inspired theory of consciousness, cell, and even DNA can be conscious, and perform choices. Thus the model should also provide understanding about small scale bio-control such as the (possibly voluntary!) control of the motion of cell organelles performed by cell nucleus. There is also alternative approach to the understanding of psychokinesis based on the possibility of creation of space-time sheets having negative time orientation and negative classical energy density and one could consider the possibility that poltergeist effects could involve this mechanism. Many-sheeted space-time concept makes possible also psychokinesis based on levitation: what is needed that subsystem is able to topologically condense to a sufficiently large space-time sheet carrying very weak gravitational fields.

5.3 PART III: Dark matter and living matter

5.3.1 Dark Nuclear Physics and Condensed Matter

The unavoidable presence of classical long ranged weak (and also color) gauge fields in TGD Universe has been a continual source of worries for more than two decades. The basic question has been whether Z^0 charges of elementary particles are screened in electro-weak length scale or not. For a long time the hypothesis was that the charges are feeded to larger space-time sheets in this length scale rather than screened by vacuum charges so that an effective screening results in electro-weak length scale.

A more promising approach inspired by the TGD based view about dark matter assumes that weak charges are indeed screened for ordinary matter in electro-weak length scale but that dark electro-weak bosons correspond to much longer symmetry breaking length scale.

1. What darkness means?

It is not at all obvious what darkness means and one can consider two variants.

1. The weak form of darkness states that only some field bodies of the particle consisting of flux quanta mediating bound state interactions between particles become dark. One can assign to each interaction a field body (em, Z^0 , W , gluonic, gravitational) and p-adic prime and the value of Planck constant characterize the size of the particular field body. One might even think that particle mass can be assigned with its em field body and that Compton length of particle corresponds to the size scale of em field body.
2. The strong form of the hypothesis states that particle space-time sheet is distinguishable from em field body and can become dark. The space-time sheet of the particle would be associated with the covering $H = M^4 \times CP_2 \rightarrow H/G_a \times G_b$, where G_a and G_b are subgroups of $SU(2)$ characterizing Jones inclusions, and would be analogous to a many-sheeted Riemann surface. The large value of \hbar in dark matter phase would mean that Compton lengths and -times are scaled up. A model of dark atom based on this view about darkness leads to the notion

of N -atom (each sheet of the multiple covering can carry electron so that Fermi statistics apparently fails).

Nuclear string model suggests that the sizes of color flux tubes and weak flux quanta associated with nuclei can become dark in this sense and have size of order atomic radius so that dark nuclear physics would have a direct relevance for condensed matter physics. If this happens, it becomes impossible to make a reductionistic separation between nuclear physics and condensed matter physics and chemistry anymore.

2. What dark nucleons are?

The basic hypothesis is that nuclei can make a phase transition to dark phase in which the size of both quarks and nuclei is measured in Angstroms. For the less radical option this transition could happen only for the color, weak, and em field bodies. Proton connected by dark color bonds super-nuclei with inter-nucleon distance of order atomic radius might be crucial for understanding the properties of water and perhaps even the properties of ordinary condensed matter. Large \hbar phase for weak field body of D and Pd nuclei with size scale of atom would explain selection rules of cold fusion.

3. Anomalous properties of water and dark nuclear physics

A direct support for partial darkness of water comes from the $H_{1.5}O$ chemical formula supported by neutron and electron diffraction in attosecond time scale. The explanation would be that one fourth of protons combine to form super-nuclei with protons connected by color bonds and having distance sufficiently larger than atomic radius.

The crucial property of water is the presence of molecular clusters. Tetrahedral clusters allow an interpretation in terms of magic $Z=8$ protonic dark nuclei. The icosahedral clusters consisting of 20 tetrahedral clusters in turn have interpretation as magic dark dark nuclei: the presence of the dark dark matter explains large portion of the anomalies associated with water and explains the unique role of water in biology. In living matter also higher levels of dark matter hierarchy are predicted to be present. The observed nuclear transmutation suggest that also light weak bosons are present.

4. Implications of the partial darkness of condensed matter

The model for partially dark condensed matter inspired by nuclear string model and the model of cold fusion inspired by it allows to understand the low compressibility of the condensed matter as being due to the repulsive weak force between exotic quarks, explains large parity breaking effects in living matter, and suggests a profound modification of the notion of chemical bond having most important implications for bio-chemistry and understanding of bio-chemical evolution.

5.3.2 Quantum Coherent Dark Matter and Bio-Systems as Macroscopic Quantum Systems

In this chapter a general vision about the unexpected relationships between cosmology, hadron physics, and biology is discussed. The vision is based on p -adic fractality implying that physics and consciousness should share same basic elements in all scales, and to quite recent dramatic discoveries in astrophysics and hadron physics suggesting that the value of Planck constant might be dynamical as I have proposed earlier. One implication is that living systems would correspond to a large value of Planck constant. This would mean that elementary quantum units correspond to systems consisting of very many elementary particles and that characteristic time and length scales are scaled up from those predicted by ordinary quantum theory so that macroscopic and macro-temporal quantum coherence become possible. *1. Dark matter as macroscopic quantum phase with a gigantic value of Planck constant*

A rather unexpected support for the macroscopic quantum coherence comes from the work of D. Da Rocha and Laurent Nottale who have proposed that Schrödinger equation with Planck constant \hbar replaced with what might be called gravitational Planck constant $\hbar_{gr} = \frac{GmM}{v_0}$ ($\hbar = c = 1$). v_0 is a velocity parameter having the value $v_0 = 144.7 \pm .7$ km/s giving $v_0/c = 4.6 \times 10^{-4}$. This is rather near to the peak orbital velocity of stars in galactic halos. Also subharmonics and harmonics of v_0 seem to appear. The support for the hypothesis coming from empirical data is impressive.

Nottale and Da Rocha believe that their Schrödinger equation results from a fractal hydrodynamics. Many-sheeted space-time however suggests astrophysical systems are not only quantum systems at larger space-time sheets but correspond to a gigantic value of gravitational Planck constant. The gravitational (ordinary) Schrödinger equation would provide a solution of the black hole collapse (IR catastrophe) problem encountered at the classical level. The resolution of the problem inspired by TGD inspired theory of living matter is that it is the dark matter at larger space-time sheets which is quantum coherent in the required time scale.

I have proposed already earlier the possibility that Planck constant is quantized. The spectrum is given in terms of integers n characterizing the quantum phases $q = \exp(i\pi/n)$. The Planck constants associated with M^4 and CP_2 degrees of freedom are predicted to be different in general and arbitrarily large values of Planck constants are possible so that $\hbar_{gr} = GMm/v_0$ can be understood in this framework. The general philosophy would be that when the quantum system would become non-perturbative, a phase transition increasing the value of \hbar occurs to preserve the perturbative character. This would apply to QCD and to atoms with $Z > 137$ as well.

The integers n which correspond to polygons constructible using ruler and compass are number theoretically preferred. This gives very strong constraints on planetary masses, their general mass scale, and also on the value of v_0 . The constraints are satisfied with accuracy better than 10 per cent.

TGD predicts correctly the value of the parameter v_0 assuming that cosmic strings and their decay remnants are responsible for the dark matter. The harmonics of v_0 can be understood as corresponding to perturbations replacing cosmic strings with their n -branched coverings so that tension becomes n^2 -fold: much like the replacement of a closed orbit with an orbit closing only after n turns. $1/n$ -sub-harmonic would result when a magnetic flux tube split into n disjoint magnetic flux tubes.

The rather amazing coincidences between basic bio-rhythms and the periods associated with the states of orbits in solar system suggest that the frequencies defined by the energy levels of the gravitational Schrödinger equation might entrain with various biological frequencies such as the cyclotron frequencies associated with the magnetic flux tubes. For instance, the period associated with $n = 1$ orbit in the case of Sun is 24 hours within experimental accuracy for v_0 .

2. How the scaling of \hbar affects physics?

It is relatively easy to deduce the basic implications of the scaling of \hbar .

1. If the rate for the process is non-vanishing classically, it is not affected in the lowest order. For instance, scattering cross sections for say electron-electron scattering and e^+e^- annihilation are not affected in the lowest order since the increase of Compton length compensates for the reduction of α_{em} . Photon-photon scattering cross section, which vanishes classically and is proportional to $\alpha_{em}^4 \hbar^2/E^2$, scales down as $1/\hbar^2$.
2. Higher order corrections coming as powers of the gauge coupling strength α are reduced since $\alpha = g^2/4\pi\hbar$ is reduced. Since one has $\hbar_s/\hbar = \alpha Q_1 Q_2/v_0$, $\alpha Q_1 Q_2$ is effectively replaced with a universal coupling strength v_0 . In the case of QCD the paradoxical sounding implication is that α_s would become very small.
3. The binding energy scale $E \propto \alpha_{em}^2 m_e$ of atoms scales as $1/\hbar^2$ so that a partially dark matter for which protons have large value of \hbar does not interact appreciably with the visible

light. Scaled down spectrum of binding energies would be the experimental signature of dark matter. The resulting atomic spectrum is universal and binding energy scale $\alpha^2 m_e$ is replaced with $v_0^2 m_e$ which corresponds to $\sim .115$ eV and wavelength of $\simeq 10.78 \mu\text{m}$, a typical size of cell. Bohr radius is 12.2 nm for dark hydrogen atom whereas the thickness of cell membrane is about 10 nm. It would be amazing if living matter would exhibit scaled down atomic spectra with this universal energy scale.

3. Hadronic black holes and new view about dark matter

Important steps in the development of ideas were stimulated by the findings made during period 2002-2005 in Relativist Heavy Ion Collider (RHIC) in Brookhaven compared with the discovery of America and for full reason. In particular, the observed production of black-hole like object in heavy ion collisions support the view that in non-perturbative phase of QCD matter possesses large value of \hbar and becomes thus analogous to dark matter. Even more, the earlier model for macroscopic quantum states as resulting when conformal weights of partons become complex such that net conformal weight is real, leads to a general hypothesis that conformal confinement is what forces the system to behave like single coherent quantum unit with large value of \hbar . Surprisingly precise analogies with black hole formation and evaporation or equivalently with big crush followed by big bang describable as scaled down version of TGD inspired cosmology, emerge.

4. Consciousness and cosmology

Consciousness and cosmology represents a rather weird association from the point of view of materialistically inclined cosmologist. p-Adic physics of cognition however predicts that cognitive consciousness is unavoidably a cosmic phenomenon as far its space-time correlates are considered. Magnetic flux tube hierarchy provides the template for the evolution of conscious, intelligent systems in all length scales in TGD Universe, and bio-systems are predicted to possess magnetic bodies of astrophysical size. Adding to this the enormous spectrum of non-deterministic vacuum extremals (with respect to inertial energy) of field equations allowing interpretation as space-time correlates of intentional action, one has good motivations for a serious consideration of the possibility that intentionality might be realized in astrophysical length scales. There is even some evidence that Sun might act as an intentional system. Fortunately, these speculations are not empty since rather dramatic testable phenomena are predicted.

5. Dark matter and living matter

The notion of magnetic body containing macroscopic quantum phases responsible for bio-control introduced already earlier, and the fact that dark matter would reside at magnetic flux tubes, motivate the hypothesis that living matter is actually dark matter with the large value of Planck constant determining the characteristic time and length scales of a conscious system. Complex conformal weights for single particles states and closely related to the zeros of Riemann Zeta would make the many-particle system living. p-Adic fractality allows to deduce rather striking similarities between biology, cosmology, and hadron physics.

6. Dark matter and classical long range electro-weak and color gauge fields

Long ranged classical electro-weak and color gauge fields are unavoidable in TGD framework. The smallness of the parity breaking effects in hadronic, nuclear, and atomic length scales does not however seem to allow long ranged electro-weak gauge fields. The problem disappears if long range classical electro-weak gauge fields are identified as space-time correlates for massless gauge fields created by dark matter. The identification explains chiral selection in living matter and unbroken $U(2)_{ew}$ invariance and free color in bio length scales are predicted to characterize bio-chemistry and bio-nuclear physics. An attractive solution of the matter antimatter asymmetry is based on the identification of also antimatter as dark matter.

5.3.3 About the new physics behind quantum biology

This chapter was originally about the new physics behind qualia. The model of qualia indeed involves a lot of new physics: many-sheeted space-time; massless extremals; exotic Super Virasoro representations associated with discrete qualia; magnetic and cyclotron phase transitions associated with quantum critical quantum spin glass phases of exotic super conductors at cellular space-time sheets; classical color and electro-weak gauge fields in macroscopic length scales, to name the most important ingredients. Gradually the chapter however expanded so that it touches practically all new physics possibly relevant to TGD inspired quantum biology. Various physical mechanisms are discussed in exploratory spirit rather than restricting the consideration to those ideas which seem to be the final word about quantum biology or qualia just at this moment.

References

Online books about TGD

- [1] M. Pitkänen (2006), *Topological Geometroynamics: Overview*.
<http://www.helsinki.fi/~matpitka/tgdview/tgdview.html>.
- [2] M. Pitkänen (2006), *Quantum Physics as Infinite-Dimensional Geometry*.
<http://www.helsinki.fi/~matpitka/tgdgeom/tgdgeom.html>.
- [3] M. Pitkänen (2006), *Physics in Many-Sheeted Space-Time*.
<http://www.helsinki.fi/~matpitka/tgdclass/tgdclass.html>.
- [4] M. Pitkänen (2006), *Quantum TGD*.
<http://www.helsinki.fi/~matpitka/tgdquant/tgdquant.html>.
- [5] M. Pitkänen (2006), *TGD as a Generalized Number Theory*.
<http://www.helsinki.fi/~matpitka/tgdnumber/tgdnumber.html>.
- [6] M. Pitkänen (2006), *p-Adic length Scale Hypothesis and Dark Matter Hierarchy*.
<http://www.helsinki.fi/~matpitka/paddark/paddark.html>.
- [7] M. Pitkänen (2006), *TGD and Fringe Physics*.
<http://www.helsinki.fi/~matpitka/freenergy/freenergy.html>.

Online books about TGD inspired theory of consciousness and quantum biology

- [8] M. Pitkänen (2006), *Bio-Systems as Self-Organizing Quantum Systems*.
<http://www.helsinki.fi/~matpitka/bioselforg/bioselforg.html>.
- [9] M. Pitkänen (2006), *Quantum Hardware of Living Matter*.
<http://www.helsinki.fi/~matpitka/bioware/bioware.html>.
- [10] M. Pitkänen (2006), *TGD Inspired Theory of Consciousness*.
<http://www.helsinki.fi/~matpitka/tgdconsc/tgdconsc.html>.
- [11] M. Pitkänen (2006), *Mathematical Aspects of Consciousness Theory*.
<http://www.helsinki.fi/~matpitka/genememe/genememe.html>.

- [12] M. Pitkänen (2006), *TGD and EEG*.
<http://www.helsinki.fi/~matpitka/tgdeeg/tgdeeg/tgdeeg.html>.
- [13] M. Pitkänen (2006), *Bio-Systems as Conscious Holograms*.
<http://www.helsinki.fi/~matpitka/hologram/hologram.html>.
- [14] M. Pitkänen (2006), *Magnetospheric Consciousness*.
<http://www.helsinki.fi/~matpitka/magnconsc/magnconsc.html>.
- [15] M. Pitkänen (2006), *Mathematical Aspects of Consciousness Theory*.
<http://www.helsinki.fi/~matpitka/magnconsc/mathconsc.html>.

References to the chapters of books

- [C6] The chapter *Was von Neumann Right After All* of [4].
<http://www.helsinki.fi/~matpitka/tgdquant/tgdquant.html#vNeumann>.
- [D1] The chapter *Basic Extremals of Kähler Action* of [3].
<http://www.helsinki.fi/~matpitka/tgdclass/tgdclass.html#class>.
- [D6] The chapter *TGD and Astrophysics* of [3].
<http://www.helsinki.fi/~matpitka/tgdclass/tgdclass.html#astro>.
- [E1] The chapter *TGD as a Generalized Number Theory: p-Adicization Program* of [5].
<http://www.helsinki.fi/~matpitka/tgdnumber/tgdnumber.html#visiona>.
- [E2] The chapter *TGD as a Generalized Number Theory: Quaternions, Octonions, and their Hyper Counterparts* of [5].
<http://www.helsinki.fi/~matpitka/tgdnumber/tgdnumber.html#visionb>.
- [E3] The chapter *TGD as a Generalized Number Theory: Infinite Primes* of [5].
<http://www.helsinki.fi/~matpitka/tgdnumber/tgdnumber.html#visionc>.
- [E9] The chapter *Topological Quantum Computation in TGD Universe* of [5].
<http://www.helsinki.fi/~matpitka/tgdnumber/tgdnumber.html#tqc>.
- [I1] The chapter *Quantum Theory of Self-Organization* of [8].
<http://www.helsinki.fi/~matpitka/bioselforg/bioselforg.html#selforgac>.
- [J6] The chapter *Coherent Dark Matter and Bio-Systems as Macroscopic Quantum Systems* of [9].
<http://www.helsinki.fi/~matpitka/bioware/bioware.html#darkbio>.
- [L1] The chapter *Genes and Memes* of [11].
<http://www.helsinki.fi/~matpitka/genememe/genememe.html#genememec>.
- [L2] The chapter *Many-Sheeted DNA* of [11].
<http://www.helsinki.fi/~matpitka/genememe/genememe.html#genecodec>.
- [M3] The chapter *Dark Matter Hierarchy and Hierarchy of EEGs* of [12].
<http://www.helsinki.fi/~matpitka/tgdeeg/tgdeeg/tgdeeg.html#eegdark>.

Articles related to TGD

- [16] Pitkänen, M. (1983) *International Journal of Theor. Phys.* ,22, 575.

Mathematics related references

- [17] Eguchi, T., Gilkey, B., Hanson, J. (1980): Phys. Rep. 66, 6.
- [18] Hawking, S.,W. and Pope, C., N. (1978): *Generalized Spin Structures in Quantum Gravity*. Physics Letters Vol 73 B, no 1.
- [19] Gibbons, G., W., Pope, C., N. (1977): *CP₂ as gravitational instanton*. Commun. Math. Phys. 55, 53.
- [20] Pope, C., N. (1980): *Eigenfunctions and Spin^c Structures on CP₂*. D.A.M.T.P. preprint.
- [21] Eisenhart (1964): *Riemannian Geometry*. Princeton University Press.
- [22] Spivak, M. (1970): *Differential Geometry I,II,III,IV*. Publish or Perish. Boston.
- [23] Milnor, J. (1965): *Topology form Differential Point of View*. The University Press of Virginia.
- [24] E. C. Zeeman (ed.)(1977), *Catastrophe Theory*, Addison-Wessley Publishing Company.
- [25] Wallace (1968): *Differential Topology*. W. A. Benjamin, New York.

References related to anomalies

- [26] D. Da Roacha and L. Nottale (2003), *Gravitational Structure Formation in Scale Relativity*, astro-ph/0310036.